

简化字总表

郝冉勒 德尼

2008年7月29日

Chart 1 (350 characters) (1)

碍	礙								
肮	骯								
袄	襖								
坝	壩								
板	闆								
办	辦								
帮	幫								
宝	寶								
报	報								
币	幣								
毙	斃								
标	標								
表	錶								
别	彀								
卜	蔔								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 1 (350 characters) (2)

补	補								
才	纒								
蚕	蠶								
灿	燦								
层	層								
换	攙								
逸	讒								
饕	饒								
缠	纏								
忤	戩								
偿	償								
厂	廠								
彻	徹								
尘	塵								
衬	襯								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 1 (350 characters) (3)

称	稱								
惩	懲								
迟	遲								
冲	衝								
丑	醜								
出	齣								
础	礎								
处	處								
触	觸								
辞	辭								
聪	聰								
丛	叢								
担	擔								
胆	膽								
导	導								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 1 (350 characters) (4)

灯	燈								
邓	鄧								
敌	敵								
余	糴								
递	遞								
点	點								
淀	澱								
电	電								
冬	夔								
斗	鬥								
独	獨								
吨	噸								
夺	奪								
堕	墮								
儿	兒								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 1 (350 characters) (5)

矾	礬								
范	範								
飞	飛								
坟	墳								
奋	奮								
粪	糞								
凤	鳳								
肤	膚								
妇	婦								
复	復								
复	複								
盖	蓋								
干	乾								
干	幹								
赶	趕								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 1 (350 characters) (6)

个	個								
巩	鞏								
沟	溝								
构	構								
购	購								
谷	穀								
顾	顧								
刮	颯								
关	關								
观	觀								
柜	櫃								
汉	漢								
号	號								
合	閤								
轰	轟								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 1 (350 characters) (7)

后	後								
胡	鬍								
壶	壺								
沪	滬								
护	護								
划	劃								
怀	懷								
坏	壞								
欢	歡								
环	環								
还	還								
回	迴								
伙	夥								
获	獲								
获	穫								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 1 (350 characters) (8)

击	擊								
鸡									
积	積								
极	極								
际	際								
继	繼								
家	傢								
价	價								
艰	艱								
歼	殲								
茧	繭								
拣	揀								
硷	鹼								
舰	艦								
姜	薑								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 1 (350 characters) (9)

浆	漿								
浆	漿								
奖	獎								
讲	講								
酱	醬								
胶	膠								
阶	階								
疴	癩								
洁	潔								
借	藉								
仅	僅								
惊	驚								
竞	競								
旧	舊								
剧	劇								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 1 (350 characters) (10)

据	據								
惧	懼								
卷	捲								
开	開								
克	剋								
垦	墾								
恳	懇								
夸	誇								
块	塊								
亏	虧								
困	睏								
腊	臘								
蜡	蠟								
兰	蘭								
拦	攔								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 1 (350 characters) (11)

栏	欄								
烂	爛								
累	纍								
垒	壘								
类	類								
里	裏								
礼	禮								
隶	隸								
帘	簾								
联	聯								
怜	憐								
炼	煉								
练	練								
粮	糧								
疗	療								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 1 (350 characters) (12)

辽	遼								
了	瞭								
猎	獵								
临	臨								
邻	鄰								
岭	嶺								
庐	廬								
芦	蘆								
炉	爐								
陆	陸								
驴	驢								
乱	亂								
么	麼								
霉	黴								
蒙	蒙								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 1 (350 characters) (13)

蒙	濛								
蒙	蒙								
梦	夢								
面	麵								
庙	廟								
灭	滅								
蔑	蔑								
亩	畝								
恼	惱								
脑	腦								
拟	擬								
酿	釀								
疟	瘧								
盘	盤								
辟	闢								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 1 (350 characters) (14)

苹	蘋								
凭	憑								
扑	撲								
仆	僕								
朴	樸								
启	啓								
筌	籤								
千	韃								
牵	牽								
纤	緯								
纤	織								
窍	竅								
窃	竊								
寝	寢								
庆	慶								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 1 (350 characters) (15)

琼	瓊								
秋	鞦								
曲									
权	權								
劝	勸								
确	確								
让	讓								
扰	擾								
热	熱								
认	認								
洒	灑								
伞	傘								
丧	喪								
扫	掃								
涩	澀								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 1 (350 characters) (16)

晒	曬								
伤	傷								
舍	捨								
沈	瀋								
声	聲								
胜	勝								
湿	濕								
实	實								
适	適								
势	勢								
兽	獸								
书	書								
术	術								
树	樹								
帅	帥								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 1 (350 characters) (17)

松	鬆								
苏	蘇								
苏	蘇								
虽	雖								
随	隨								
台	臺								
	颱								
态	態								
坛	壇								
坛									
叹	嘆								
眷	膳								
体	體								
巢	糶								
铁	鐵								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 1 (350 characters) (18)

听	聽								
厅	廳								
头	頭								
图	圖								
涂	塗								
团	團								
团	糰								
椭	橢								
洼	窪								
袜	襪								
网	網								
卫	衛								
稳	穩								
务	務								
雾	霧								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 1 (350 characters) (19)

牺	犧								
习	習								
系	係								
系	繫								
戏	戲								
虾	蝦								
吓	嚇								
咸	鹹								
显	顯								
宪	憲								
县	縣								
响	響								
向	嚮								
协	協								
胁	脅								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 1 (350 characters) (20)

褻	褻								
衅	釁								
兴	興								
须	鬚								
悬	懸								
选	選								
旋	璇								
压	壓								
盐	鹽								
阳	陽								
养	養								
痒	癢								
样	樣								
钥	鑰								
药	藥								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 1 (350 characters) (21)

爷	爺								
叶	葉								
医	醫								
亿	億								
忆	憶								
应	應								
痲	癱								
拥	擁								
佣	傭								
踊	踴								
忧	憂								
优	優								
邮	郵								
余	餘								
御	禦								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 1 (350 characters) (22)

吁	籲								
郁	鬱								
誉	譽								
渊	淵								
园	園								
远	遠								
愿	願								
跃	躍								
运	運								
酝	醞								
杂	雜								
赃									
脏	髒								
凿	鑿								
枣	棗								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 1 (350 characters) (23)

灶									
斋	齋								
毡	氈								
战	戰								
赵	趙								
折	摺								
这	這								
征	徵								
症	癥								
证	證								
只	隻								
只	祇								
只	祇								
致	緻								
制	製								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 1 (350 characters) (24)

钟	鐘								
钟	鍾								
肿	腫								
种	種								
众	衆								
昼	晝								
朱	硃								
烛	燭								
筑	築								
庄	莊								
桩	樁								
妆	妝								
装	裝								
壮	壯								
状	狀								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 1 (350 characters) (25)

准									
浊	濁								
总	總								
钻	鑽								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 2 (132 characters) (1)

爱	愛								
罢	罷								
备	備								
贝	貝								
笔	筆								
毕	畢								
边	邊								
宾	賓								
参	參								
仓	倉								
产									
长	長								
尝	嘗								
车	車								
齿	齒								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 2 (132 characters) (2)

虫	蟲								
𠂇	𧈧								
从	從								
竄	竄								
达	達								
带	帶								
单	單								
当	當								
当	噹								
党	黨								
东	東								
动	動								
断	斷								
对	對								
队	隊								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 2 (132 characters) (3)

尔	爾								
发	發								
发	髮								
丰	豐								
风	風								
冈	岡								
广	廣								
归	歸								
龟	龜								
国	國								
过	過								
华	華								
画	畫								
汇	匯								
汇	彙								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 2 (132 characters) (4)

会	會								
几	幾								
夹	夾								
戈	戈								
监	監								
见	見								
荐	薦								
将	將								
节	節								
尽	盡								
尽	儘								
进	進								
举	舉								
壳									
来	來								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 2 (132 characters) (5)

乐	樂								
离	離								
历	歷								
历	曆								
丽	麗								
两	兩								
灵	靈								
刘	劉								
龙	龍								
娄	婁								
卢	盧								
虏	虜								
卤	鹵								
卤	滷								
录									

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 2 (132 characters) (6)

虑	慮								
仑	侖								
罗	羅								
马	馬								
买	買								
卖	賣								
麦	麥								
门	門								
鼯	鼯								
难	難								
鸟	鳥								
聶	聶								
农	農								
齐	齊								
岂	豈								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 2 (132 characters) (7)

气	氣								
迁	遷								
僉	僉								
乔	喬								
亲	親								
穷	窮								
区	區								
嗇	嗇								
杀	殺								
审	審								
圣	聖								
师	師								
时	時								
属	屬								
双	雙								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 2 (132 characters) (8)

肃	肅								
孙	孫								
条	條								
万	萬								
为	為								
韦	韋								
乌	烏								
无	無								
献	獻								
乡	鄉								
写	寫								
寻	尋								
亚	亞								
严	嚴								
厌	厭								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 2 (132 characters) (9)

尧	堯								
业	業								
页	頁								
义	義								
阴	陰								
隐	隱								
犹	猶								
鱼	魚								
与	與								
云	雲								
郑	鄭								
执	執								
质	質								
专	專								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (1)

暖	暖								
媛	媛								
瑗	瑗								
暖	暖								
摆	擺								
摆	擺								
黑	黑								
惫	憊								
贞	貞								
则	則								
负	負								
贡	貢								
呗	唄								
员	員								
财	財								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (2)

狻	獬								
責	責								
厠									
賢	賢								
賬	賬								
販	販								
貶	貶								
敗	敗								
貯	貯								
貧	貧								
偵	偵								
側	側								
貨	貨								
貫	貫								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (3)

测	測								
渎	瀆								
恻	惻								
貳	貳								
賁	賁								
贯	貫								
费	費								
邠	鄖								
勛	勛								
幘	幘								
贴	貼								
贐	贐								
贻	貽								
贱	賤								
贵	貴								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (4)

钡	鋳								
贷	貸								
贸	貿								
贺	賀								
隕	隕								
资	資								
禎	禎								
贾	賈								
损	損								
贄	贄								
塌	塌								
楨	楨								
唢	嗩								
赅	賅								
圆	圓								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (5)

賊	賊								
賄	賄								
賤	賤								
賂	賂								
債	債								
賃	賃								
漬	漬								
慣	慣								
瑣	瑣								
賚	賚								
匱	匱								
攢	攢								
殞	殞								
賑	賑								
嬰	嬰								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (6)

嘖	嘖								
賒	賒								
贖	贖								
債	債								
鋤	鋤								
績	績								
潰	潰								
濺	濺								
賡	賡								
憤	憤								
憤	憤								
蕘	蕘								
蕘	蕘								
賠	賠								
睽	睽								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (7)

遗	遺								
赋	賦								
喷	噴								
赌	賭								
赎	贖								
赏	賞								
赐	賜								
锁	鎖								
馈	饋								
赖	賴								
磧	磧								
膩	膩								
赛	賽								
赘	贅								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (8)

攷	攷								
嚶	嚶								
賺	賺								
賻	賻								
罌	罌								
鑛	鑛								
箒	箒								
纓	纓								
瓔	瓔								
贖	贖								
櫻	櫻								
蹟	蹟								
箒	箒								
瀨	瀨								
癭	癭								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (9)

懶	懶								
贗									
贈	贈								
鸚	鸚								
獺	獺								
贊	贊								
羸	羸								
贍	贍								
癩	癩								
攢	攢								
籟	籟								
纒	纒								
瓚	瓚								
贛	贛								
趲	趲								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (10)

躓	躓								
躓	躓								
漉	漉								
萑	萑								
哧	哧								
筭	筭								
躡	躡								
筵	筵								
倌	倌								
濱	濱								
摯	摯								
嬪	嬪								
繽	繽								
鬢	鬢								
殯	殯								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (11)

檳	檳								
臙	臙								
鎋	鎋								
髑	髑								
滲	滲								
慘	慘								
摻	摻								
驂	驂								
毳	毳								
磳	磳								
糝	糝								
伧	伧								
創	創								
沧	滄								
怆	愴								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (12)

苍	蒼								
抢	搶								
呛	嗆								
炔	燃								
枪	槍								
餞	餞								
疮	瘡								
舱	艙								
跄	蹌								
萨	薩								
铲	鏟								
俚	俚								
怅	悵								
帐	帳								
张	張								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (13)

枋	枵								
账	賬								
胀	脹								
涨	漲								
轧	軋								
军	軍								
轨	軌								
库	庫								
阵	陣								
库	庫								
连	連								
轩	軒								
浑	渾								
郟	鄆								
轡	鞮								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (14)

轆	輓								
甌	甌								
转	轉								
轮	輪								
斩	斬								
软	軟								
浑	渾								
恇	恇								
砗	砗								
軼	軼								
軻	軻								
轻	輕								
轳	轡								
轴	軸								
挥	揮								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (15)

葦	葦								
輅	輅								
軫	軫								
輶	輶								
漣	漣								
琿	琿								
載	載								
蓮	蓮								
較	較								
軾	軾								
輕	輕								
輅	輅								
轿	轿								
晕	晕								
渐	渐								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (16)

慚	慚								
鞞	鞞								
璉	璉								
辅	輔								
輒	輒								
辆	輛								
塹	塹								
啮	嚙								
斩	斬								
裤	褲								
裊	裊								
鞞	鞞								
辋	輞								
辍	輟								
辍	輟								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (17)

槩	槩								
輜	輜								
暫	暫								
輝	輝								
輩	輩								
鏈	鏈								
鞦	鞦								
輻	輻								
輯	輯								
輸	輸								
穀	穀								
轡	轡								
轄	轄								
轅	轅								
輾	輾								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (18)

輿	輿								
輓	輓								
擗	擗								
鯁	鯁								
轍	轍								
鑿	鑿								
辮	辮								
齏	齏								
啮	啮								
韶	韶								
齏	齏								
齏	齏								
齏	齏								
齏	齏								
齏	齏								
齏	齏								
齏	齏								
齏	齏								
齏	齏								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (19)

齧	齧								
齧	齧								
齧	齧								
齧	齧								
盍	盍								
迨	迨								
邹	邹								
驹	駒								
绉	縐								
皱	皺								
趋	趨								
雏	雛								
苾	蓳								
纵	縱								
枞	樅								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (20)

怱	慫								
聳	聳								
擗	擗								
躡	躡								
閔	閔								
搯	搯								
眈	眈								
鞞	鞞								
滯	滯								
鄆	鄆								
憚	憚								
闡	闡								
掸	掸								
弹	彈								
婵	嬋								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (21)

禪	禪								
殫	殫								
痺	痺								
蟬	蟬								
箏	箏								
蘄	蘄								
輾	輾								
挡	擋								
档	檔								
裆	褱								
铛	鎗								
讒	讒								
儻	儻								
冻	凍								
陈	陳								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (22)

栋	棟								
鸪	鶻								
恸	慟								
斲	斲								
怗	懟								
坠	墜								
迓	邇								
弥	彌								
弥	瀰								
衲	禩								
玺									
猕	獼								
泼	潑								
废	廢								
拨	撥								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (23)

泮	澧								
艳									
讽	諷								
岚	嵐								
枫	楓								
疯	瘋								
飒	颯								
颶	颶								
颶	颶								
飘	飄								
飙	飆								
刚	剛								
岗	崗								
纲	綱								
钢	鋼								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (24)

邝	鄺								
圉	壙								
扩	擴								
犷	獷								
纒	纒								
旷	曠								
矿	礦								
岾	巋								
阄	鬪								
搥	搥								
帼	帼								
蝮	蝮								
搯	搯								
晔	曄								
骅	驪								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (25)

焯	燁								
桦	樺								
晔	曄								
铎	鐸								
劊	劊								
郃	郃								
佻	儇								
浚	澮								
荟	薈								
唵	噲								
狻	獐								
绘	繪								
烜	煇								
桧	檜								
脍	膾								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (26)

讷	讖								
叽	噤								
饥	饑								
机	機								
玑	璣								
矾	礬								
虬	虯								
邾	邾								
侠	俠								
陕	陝								
浹	澗								
挟	挾								
莢	莢								
峡	峽								
狭	狹								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (27)

愜	愜								
硇	硇								
𨧪	𨧪								
頰	頰								
𧈧	𧈧								
瘞	瘞								
篋	篋								
淺	淺								
钱	錢								
线									
残	殘								
栈	棧								
贱	賤								
盞	盞								
钱	錢								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (28)

笺	箋								
溅	濺								
践	踐								
滥	濫								
蓝	藍								
尴	尷								
槛	檻								
褴	褴								
篮	籃								
苋	莧								
岷	岷								
视	視								
规	規								
现	現								
栒									

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (29)

觅	覓								
觉	覺								
砚	硯								
覘	覘								
览	覽								
宽	寬								
蚬	蜆								
覬	覬								
筮	筮								
覲	覲								
覷	覷								
覸	覸								
揽	攬								
揽	攬								
缆	纜								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (30)

窺	窺								
欖	欖								
覷	覷								
覷	覷								
覷	覷								
覷	覷								
覷	覷								
覷	覷								
覷	覷								
覷	覷								
蔣	蔣								
鐸	鐸								
栳	櫛								
苈	蓋								
焮	燼								
賧	賧								
榉	榉								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (31)

恚	恚								
涑	涑								
莱	萊								
峽	峽								
徠	徠								
賚	賚								
睐	睐								
铈	銻								
泐	灑								
烁	爍								
栎	櫟								
轹	轆								
砾	礫								
铄	鑠								
漓	瀕								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (32)

篱	籬								
沥	瀝								
圻	壑								
蒭	蔞								
昞	曬								
枥	櫪								
痂									
雳	靌								
俚	儷								
邴	鄜								
邴	邴								
骊	驪								
鹂	鸚								
酏	醜								
鲚	鱮								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (33)

俩	倆								
辆	輛								
满	滿								
瞞	瞞								
颯	颯								
螨									
魍	魍								
漣	漣								
蹒	蹒								
棧	櫪								
浏	瀏								
陇	隴								
泷	瀧								
宠	寵								
庞	龐								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (34)

堊	壘								
扌	攏								
茳	蘆								
叻	隴								
玊	瓏								
枕	櫛								
肱	隴								
砉	礪								
袭	襲								
聳	聳								
糞	糞								
龕	龕								
笼	籠								
倭	倭								
萎	萎								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (35)

搂	樓								
嶁	嶺								
唛	嘜								
缕	縷								
屢	屢								
数	數								
楼	樓								
痿									
褻	褻								
窳	窳								
鏤	鏤								
屨	屨								
蛄	蛄								
篓	篓								
耜	耜								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (36)

藪	藪								
擻	擻								
髀	髀								
滷	滷								
垆	壚								
栳	櫨								
轳	轡								
肱	臚								
鸬	鷓								
顛	顛								
舩	艦								
鲈	鱸								
擄	擄								
齧	齧								
濾	濾								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (37)

摠	摠								
论	論								
伦	倫								
沦	淪								
抡	掄								
囡	囡								
纶	綸								
轮	輪								
瘰	癩								
萝	蘿								
逻	邏								
猓	獾								
楞	櫛								
锣	鑼								
箩	籬								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (38)

冯	馮								
驭	馭								
闯	闖								
吗	嗎								
驮	馱								
驰	馳								
驯	馴								
妈	媽								
玛	瑪								
驱	驅								
驳	駁								
码	碼								
驼	駝								
驻	駐								
狙	狙								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (39)

驾	駕								
驿	驛								
驷	駟								
驶	駛								
驹	駒								
驹	駒								
骀	駘								
駟	駟								
駟	駟								
蚂	螞								
笃	篤								
骇	駭								
骈	駢								
骁	驍								
骄	驕								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (40)

骅	驪								
骆	駱								
骠	驍								
骋	騁								
验	驗								
骏	駿								
骑	騎								
骐	騏								
骠	騾								
雅	騅								
骖	騫								
骗	騙								
鸞	鶯								
鸞	鶯								
骚	騷								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (41)

騫	騫								
騫	騫								
騫	騫								
騰	騰								
騮	騮								
駟	駟								
騾	騾								
驄	驄								
騾	騾								
羈									
驟	驟								
驥	驥								
驤	驤								
苙									
讀	讀								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (42)

渎	瀆								
续	續								
楛	櫛								
覲	覲								
赎	贖								
犊	犢								
牖	牖								
窳	窳								
黩	黩								
唛	唛								
麸	麩								
闷	悶								
闪	閃								
们	們								
闭	閉								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (43)

闯	闖								
问	問								
扞	扞								
闱	闈								
闵	閔								
闷	悶								
闰	閏								
闲	閑								
间	間								
闹									
闻	聞								
钊	鋤								
阕	闕								
闺	閨								
闻	聞								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (44)

閔	閔								
閏	閏								
閗	閗								
閘	閘								
閛	閛								
潤	潤								
潤	潤								
閏	閏								
閗	閗								
閛									
閏	閏								
閗	閗								
閛	閛								
閛	閛								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (45)

淹	淹								
閿	閿								
閿	閿								
閿	閿								
閿	閿								
閿	閿								
閿	閿								
閿	閿								
閿	閿								
閿	閿								
閿	閿								
閿	閿								
閿	閿								
閿	閿								
閿	閿								
閿	閿								
閿	閿								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (46)

阙	闕								
盭	盭								
眞	眞								
桐	桐								
简	簡								
谏	諫								
闾	闕								
蔺	藺								
澜	瀾								
斓	瀾								
镞	鏃								
躡	躡								
渥	渥								
绳	繩								
鼃	鼃								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (47)

蠅	蠅								
鼯	鼯								
雥	雥								
滩	灘								
癱	癱								
鳧									
鳩	鳩								
島	島								
莛	莛								
鸛	鸛								
鳴	鳴								
梟	梟								
鳩	鳩								
鴉	鴉								
鷗	鷗								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (48)

鸚	鶉								
鶇	鶇								
鴣	鴣								
搗	搗								
鶉	鶉								
鸬	鸕								
鴨	鴨								
鴛	鴛								
鴿	鴿								
鴛	鴛								
鴛	鴛								
鴛	鴛								
鴛	鴛								
鴛	鴛								
鴛	鴛								
鴛	鴛								
鴛	鴛								
鴛	鴛								
鴛	鴛								
鴛	鴛								
鴛	鴛								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (49)

鵞	鵞								
鵠	鵠								
鵡	鵡								
鵢	鵢								
鵣	鵣								
鵤	鵤								
鵶	鵶								
鵷	鵷								
鵸	鵸								
鵹	鵹								
鵺	鵺								
鵻	鵻								
鵼	鵼								
鵽	鵽								
鵾	鵾								
鵿	鵿								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (50)

鵲	鵲								
鵲									
鶴	鶴								
鵬	鵬								
鵠	鵠								
鶚	鶚								
鵠	鵠								
鵞	鵞								
鶴	鶴								
鵠	鵠								
鵠	鵠								
鸕	鸕								
鸕	鸕								
鸕	鸕								
鸕	鸕								
鸕	鸕								
鸕									

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (51)

鵲	鵲								
鷓	鷓								
鵠	鵠								
鷹	鷹								
鷺	鷺								
鶴	鶴								
慑	攝								
溲	灑								
掇	攝								
啜	囁								
镊	鑷								
颞	顛								
躡	躡								
泞	凜								
拧	擰								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (52)

𤝵	𤝵								
𤝶	𤝶								
𤝷	𤝷								
𤝸	𤝸								
依	儂								
浓	濃								
叢	叢								
脓	膿								
剂	劑								
侏	儕								
济	濟								
荠	薺								
挤	擠								
脐	臍								
蛭	蟻								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (53)

躋	躋								
霽	霽								
躋	躋								
齋	齋								
剗	剗								
凱	凱								
愷	愷								
塏	塏								
梔	梔								
凱	凱								
皑	皑								
鎧	鎧								
忼	忼								
飢	飢								
躋	躋								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (54)

劍	劍								
儉	儉								
險	險								
撿	撿								
獫	獫								
驗	驗								
檢	檢								
殮	殮								
斂	斂								
臉	臉								
袷	袷								
臉	臉								
筌	筌								
澌	澌								
莖	莖								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (55)

侨	僑								
拈	撿								
莽	蕎								
峤	嶠								
骄	驕								
娇	嬌								
桥	橋								
轿	轎								
矫	矯								
榉	榿								
讴	謳								
佝	偻								
洳	漚								
愠	愠								
扞	扞								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (56)

奩	奩								
呕	嘔								
岖	嶇								
姬	姬								
驱	驅								
枢	樞								
瓿	甌								
欧	歐								
殴	毆								
鸥	鷗								
躯	軀								
蓄	蓄								
墙	墻								
媾	媾								
檣	檣								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (57)

穉	穉								
銖	鍛								
媯	媯								
桎	檉								
蛭	鯉								
獅	獅								
蚰	蚰								
篩	篩								
埶	埶								
蒔	蒔								
鮒	鮒								
俦	儔								
涛	濤								
禱	禱								
煮	燾								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (58)

畴	疇								
铸	鑄								
筹	籌								
畴	疇								
嘱	囑								
瞩	矚								
萧	蕭								
啸	嘯								
潇	瀟								
箫	簫								
刳	剗								
叟	噉								
穉	穢								
荪	蓀								
狲	獼								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (59)

逊	遜								
涤	滌								
纛									
鲦	鯪								
厉	厲								
迈	邁								
励	勵								
疒	癘								
蚤	蠱								
趸	躉								
砺	礪								
粿	糲								
蛎	蠣								
伪									
洩	瀉								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (60)

媯	媯								
讳	諱								
伟	偉								
闱	闈								
违	違								
苇	葦								
韧	韌								
帏	幃								
围	圍								
纬	緯								
炜	煒								
玮	瑋								
润	潤								
韩	韓								
韞	韞								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (61)

韪	韪								
韜	韜								
邬	邬								
塢	塢								
鳴	鳴								
鷓	鷓								
怵	慄								
庀	廡								
抚	撫								
茺	蕪								
旤	嚙								
妩	嫵								
讞	讞								
芫	蕓								
飧	饗								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (62)

泻	瀉								
浔	潯								
荨	蓐								
鲟	鱈								
垩	堊								
垭	壩								
哑	啞								
娅	婭								
恶	惡								
恶	噁								
氩	氬								
壶	壺								
俨	儼								
醮	釀								
恢	懹								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (63)

厩	厩								
厩	厩								
厩	厩								
厩	厩								
侥	僥								
浇	澆								
挠	撓								
莒	莒								
晓	曉								
娆	嫖								
骁	驍								
绕	繞								
饶	饒								
烧									
桡	橈								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (64)

晓	曉								
饶	饒								
翘	翹								
绕	繞								
跷	蹺								
邳	鄴								
顶	頂								
顷	頃								
顷	頃								
预	預								
顺	順								
须	須								
颜	顏								
烦	煩								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (65)

瑣	瑣								
頽	頽								
頓	頓								
頤	頤								
頰	頰								
頌	頌								
傾	傾								
預	預								
碩	碩								
顛	顛								
領	領								
頸	頸								
頰	頰								
頰	頰								
頰	頰								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (66)

颧	頤	✱	✱	✱	✱	✱	✱	✱	✱
颧	頤	✱	✱	✱	✱	✱	✱	✱	✱
颧	頤	✱	✱	✱	✱	✱	✱	✱	✱
颧	頤	✱	✱	✱	✱	✱	✱	✱	✱
颧	頤	✱	✱	✱	✱	✱	✱	✱	✱
颧	頤	✱	✱	✱	✱	✱	✱	✱	✱
颧	頤	✱	✱	✱	✱	✱	✱	✱	✱
颧	頤	✱	✱	✱	✱	✱	✱	✱	✱
颧	頤	✱	✱	✱	✱	✱	✱	✱	✱
颧	頤	✱	✱	✱	✱	✱	✱	✱	✱
颧	頤	✱	✱	✱	✱	✱	✱	✱	✱
颧	頤	✱	✱	✱	✱	✱	✱	✱	✱
颧	頤	✱	✱	✱	✱	✱	✱	✱	✱
颧	頤	✱	✱	✱	✱	✱	✱	✱	✱
颧	頤	✱	✱	✱	✱	✱	✱	✱	✱
颧	頤	✱	✱	✱	✱	✱	✱	✱	✱
颧	頤	✱	✱	✱	✱	✱	✱	✱	✱
颧	頤	✱	✱	✱	✱	✱	✱	✱	✱
颧	頤	✱	✱	✱	✱	✱	✱	✱	✱
颧	頤	✱	✱	✱	✱	✱	✱	✱	✱
颧	頤	✱	✱	✱	✱	✱	✱	✱	✱
颧	頤	✱	✱	✱	✱	✱	✱	✱	✱

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (67)

颯	颯								
瀕	瀕								
顛	顛								
颯	颯								
顛	顛								
颯	颯								
器	器								
顛	顛								
顛	顛								
巔	巔								
顛									
癩	癩								
瀕	瀕								
颯	颯								
颯	颯								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (68)

议	議								
仪	儀								
蚁	蟻								
屹	巖								
荫	蔭								
瘾	癮								
蕪	蕪								
渔	漁								
魴	魴								
魷	魷								
鲁	魯								
鲨	鯊								
蓟	薊								
鲚									
鲈	鱸								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (69)

鮎	鮎								
鮐	鮐								
鮑	鮑								
鮑	鮑								
鮣	鮣								
鮣	鮣								
鮣	鮣								
鮣	鮣								
鮣	鮣								
鮣	鮣								
鮣	鮣								
鮣	鮣								
鮣	鮣								
鮣	鮣								
鮣	鮣								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (72)

𩺰	𩺰								
𩺱	𩺱								
𩺲	𩺲								
𩺳	𩺳								
𩺴	𩺴								
𩺵	𩺵								
𩺶	𩺶								
𩺷	𩺷								
𩺸	𩺸								
𩺹									
𩺺	𩺺								
𩺻	𩺻								
𩺼									
𩺽	𩺽								
𩺾	𩺾								
𩺿	𩺿								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (73)

鱒	鱒								
鱗	鱗								
鰈	鰈								
鱧	鱧								
岫	嶼								
欵	歟								
芸	蕓								
曇	曇								
擲	擲								
躑	躑								
墊	墊								
摯	摯								
贄	贄								
鷲	鷲								
蝥	蝥								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (74)

紮	紮								
躋	躋								
传	傳								
抐	搏								
转	轉								
砖	磚								
啣	嚙								
计	計								
订	訂								
讐	訃								
讥	譏								
议	議								
讨	討								
诤	誼								
评	評								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (75)

记	記								
讯	訊								
讪	讪								
训	訓								
讫	訖								
访	訪								
讶	訝								
讳	諱								
詎	詎								
讴	謳								
诀	訣								
讷	訥								
设	設								
讽	諷								
讹	訛								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (76)

许	許								
论	論								
讼	訟								
诘	詰								
诃	訶								
评	評								
诏	詔								
词	詞								
译	譯								
拙	拙								
诅	詛								
识	識								
诌	謔								
诋	詆								
诉	訴								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (77)

诈	詐								
诊	診								
诒	詒								
诨	誦								
该	該								
详	詳								
诧	詫								
诨	誑								
诿	詿								
诘	詰								
诙	詼								
试	試								
诗	詩								
诩	詡								
诨	誑								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (78)

詮	詮								
誅	誅								
誅	誅								
詬	詬								
詣	詣								
話	話								
詭	詭								
詢	詢								
誠	誠								
誕	誕								
泮	泮								
誚	誚								
說									
誡	誡								
誣	誣								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (79)

语	語								
诵	誦								
罚									
误	誤								
诰	誥								
逛	逛								
诱	誘								
诲	誨								
狱	獄								
谊	誼								
谅	諒								
谈	談								
淳	醇								
淬	淬								
请	請								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (80)

诺	諾								
诸	諸								
读	讀								
啄	啄								
諏	諏								
课	課								
诽	誹								
诿	詭								
谁	誰								
谀	諛								
调	調								
谄	諂								
谗	讒								
谛	諦								
谮	譖								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (81)

谜	謎								
谚	諺								
编	編								
谄	諂								
谏	諫								
谎	謊								
谋	謀								
谍	諜								
谐	諧								
谏	諫								
谗	讒								
谒	謁								
谔	諤								
谓	謂								
援	援								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (82)

谕	諭								
謚	謚								
谤	謗								
谦	謙								
謐	謐								
漠	漠								
说	讜								
谗	讒								
谢	謝								
谣									
储	儲								
滴	滴								
溷	溷								
谨	謹								
谬	謬								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (83)

漫	謾								
譜	譜								
潛	潛								
潭	潭								
瀾	瀾								
譎	譎								
譙	譙								
藹	藹								
楮	楮								
遣	遣								
澹	澹								
讞	讞								
辯	辯								
錐	錐								
讖	讖								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (84)

霽	霽								
飢	饑								
飭	飭								
饨	飩								
饭	飯								
饮	飲								
饫	饫								
飮	飮								
饪	飪								
飭	飭								
飼	飼								
钱	餞								
饰	飾								
饱	飽								
饴	飴								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (85)

饷	餉								
饺	餃								
饼									
饵	餌								
饶	饒								
蚀	蝕								
饽	饽								
馁	餒								
饿	餓								
馆	館								
馄	餛								
馅	餡								
馈	饋								
馊	馊								
馐	饈								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (86)

馍	饅								
馏	饈								
饹	饹								
饻	饻								
饿	饿								
饻	饻								
汤	湯								
扬	揚								
场	場								
飭	飭								
炆	煬								
杨	楊								
肠	腸								
疡	瘍								
砭	砭								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (87)

暢	暢								
殤	殤								
荡	蕩								
烫	燙								
觴	觴								
丝	絲								
纠	糾								
纒	纏								
纒	紆								
紂	紂								
红	紅								
纪	紀								
纒	紉								
纒	紇								
约									

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (88)

纨	紈								
级	級								
纺	紡								
纹	紋								
纬	緯								
纭	紜								
纯	純								
纰	紕								
纽	紐								
纳	納								
纲	綱								
纱	紗								
纷	紛								
纶	綸								
纸	紙								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (89)

纵	縱								
纾	紓								
绊	絆								
线									
绀	紺								
继	繼								
绂	紱								
绋	紉								
绎	繹								
经	經								
绍	紹								
组	組								
细	細								
绅	紳								
织	織								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (90)

绌	絀								
终	終								
绉	縐								
给	給								
哟	啣								
葇									
薤	薤								
绞	絞								
统	統								
绒	絨								
绕	繞								
垮									
结	結								
绉	紉								
给	給								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (91)

绘	繪								
绝									
绎	繹								
络	絡								
绚	絢								
绑	綁								
莼									
纒	縴								
绉	縐								
绀	紺								
绣									
绥	綏								
绛									
鸞	鸞								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (92)

综	綜								
绽	綻								
绉	縐								
绌	絀								
绩	績								
绫	綾								
绪	緒								
续	續								
绮	綺								
缀	綴								
绿									
绰	綽								
緄	緄								
绳	繩								
绯	緋								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (93)

绶	綬								
绸	綢								
绷									
绉	縐								
维	維								
绵	綿								
缙	緝								
缔	締								
编	編								
缕	縷								
绶	綬								
缙	緝								
緜	縹								
緜	縹								
缘	緣								
緝	緝								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (97)

慳	慳								
紧	緊								
铿	鏗								
鯉	鯉								
览									
攬	攬								
缆	纜								
榄	欖								
鉴	鑒								
劳	勞								
莠	糞								
莹	瑩								
荧	熒								
荣	榮								
茱	茱								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (98)

葷	熒								
滂	滂								
嶗	嶗								
莹	瑩								
捞	撈								
唠	嘮								
莺	鶯								
萤	螢								
营	營								
萦	縈								
癆	癆								
嶮	嶮								
镑	鎊								
耨									
蝾	蝾								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (101)

钢	鋼								
钠	鈉								
钡	鋇								
钿	鈮								
钩	鈎								
钩									
钦	欽								
钨	鎢								
铋	鉍								
铊	鉈								
钱	錢								
铀	鈾								
钼	鉬								
钴	鈷								
钺	鉞								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (102)

铍									
铍	鈹								
铟	鈹								
铷	鉀								
铀	鈾								
铊	鈹								
铯	鐳								
铃	鈴								
铅	鉛								
铂	鉑								
铱	鐳								
铷	鉀								
铍	鈹								
铷	鉀								
铊	鈹								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (103)

钼	鉬	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖
铌	鈮	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖
铈	鈰	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖
铉	鉉	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖
铊	鉈	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖
铋	鉍	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖
铌	鈮	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖
铍	鈹	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖
铈	鈰	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖
铉	鉉	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖
铊	鉈	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖
铋	鉍	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖
铌	鈮	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖
铍	鈹	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖
铈	鈰	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖
铉	鉉	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖
铊	鉈	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖
铋	鉍	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖
铌	鈮	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖
铍	鈹	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖
铈	鈰	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖
铉	鉉	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖
铊	鉈	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖
铋	鉍	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖
铌	鈮	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖
铍	鈹	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖
铈	鈰	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖
铉	鉉	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖
铊	鉈	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖
铋	鉍	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖
铌	鈮	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖
铍	鈹	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖
铈	鈰	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖
铉	鉉	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖
铊	鉈	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖
铋	鉍	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖	✖

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (104)

铲	鏟								
铍	鈹								
铈	鈰								
铉	鈹								
铊	鈹								
铋	鈹								
铌	鈮								
铍	鈹								
铈	鈰								
铉	鈹								
铊	鈹								
铋	鈹								
铌	鈮								
铍	鈹								
铈	鈰								
铉	鈹								
铊	鈹								
铋	鈹								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (105)

铁	銑								
铤	鎰								
铭	銘								
铬	鉻								
铮	錚								
铍	鏷								
铄	鍛								
揸	揸								
铎	鐸								
锐									
铈	銻								
铨	銒								
铺	鋪								
铸	鑄								
铈	銻								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (106)

锃	𠄎	𠄎	𠄎	𠄎	𠄎	𠄎	𠄎	𠄎	𠄎
链	鏈	𠄎	𠄎	𠄎	𠄎	𠄎	𠄎	𠄎	𠄎
铿	鏗	𠄎	𠄎	𠄎	𠄎	𠄎	𠄎	𠄎	𠄎
销	銷	𠄎	𠄎	𠄎	𠄎	𠄎	𠄎	𠄎	𠄎
锁	鎖	𠄎	𠄎	𠄎	𠄎	𠄎	𠄎	𠄎	𠄎
锄	鋤	𠄎	𠄎	𠄎	𠄎	𠄎	𠄎	𠄎	𠄎
锅	鍋	𠄎	𠄎	𠄎	𠄎	𠄎	𠄎	𠄎	𠄎
铄	鎔	𠄎	𠄎	𠄎	𠄎	𠄎	𠄎	𠄎	𠄎
锈	銹	𠄎	𠄎	𠄎	𠄎	𠄎	𠄎	𠄎	𠄎
锋	鋒	𠄎	𠄎	𠄎	𠄎	𠄎	𠄎	𠄎	𠄎
锛	鋸	𠄎	𠄎	𠄎	𠄎	𠄎	𠄎	𠄎	𠄎
镑	鎊	𠄎	𠄎	𠄎	𠄎	𠄎	𠄎	𠄎	𠄎
铜	銅	𠄎	𠄎	𠄎	𠄎	𠄎	𠄎	𠄎	𠄎
钢	鋼	𠄎	𠄎	𠄎	𠄎	𠄎	𠄎	𠄎	𠄎
铢	銖	𠄎	𠄎	𠄎	𠄎	𠄎	𠄎	𠄎	𠄎

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (108)

锣	鑼								
锤	錘								
锥	錐								
锦	錦								
镗	鎗								
键	鍵								
镀	鍍								
镁	鎂								
镂	鏤								
镗	鏗								
铎	鐸								
锶	錒								
锲	錳								
钲	鉦								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (111)

鏡	鏡								
鐳	鐳								
鑊	鑊								
鐳	鐳								
鑲	鑲								
學	學								
覺	覺								
攪	攪								
罇	罇								
蚩	蚩								
黃	黃								
译	譯								
泽	澤								
恻	惻								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (112)

择	擇								
峰	嶧								
绎	繹								
驿	驛								
铎	鐸								
释	釋								
箨	籜								
劲	勁								
剉	剉								
陘	陘								
涇	涇								
莖	莖								
径	徑								
经	經								
炅	燄								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (113)

轻	輕								
氢	氫								
脛	脛								
瘞	瘞								
羟	羥								
颈	頸								
疏	疏								
变	變								
弯	彎								
孛	孛								
岫	巒								
耍	耍								
恋	戀								
栾	欒								
孛	孛								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

Chart 3 (1753 characters) (114)

鸾	鸞								
湾	灣								
蛮	蠻								
鹵	鹵								
溱	漣								
銜	銜								
刚	剛								
涡	渦								
塌	塌								
萑	萑								
媧	媧								
祸	禍								
轔	轔								
窝	窩								
锅	鍋								

© 郝冉勒 德尼 2008年7月29日 : column 1 = simplified character, column 2 = traditional character

(anomalies and missing characters are encoding problems which will hopefully be resolved in the future)

