

# C

## Index

- \*\* , 41
- + , 41, 56, 69, 158, 366
- .. , 44
- ; , 39
- = , 41
- == , 17, 42
- ? , 11, 41
- # , 39
- \_ , 12
- \ , 40, 166
- ~ , 158
  
- AA , 101, 273
- abs , 9, 94, 103
- absolute value , 9
- acceleration of convergence , 274
- \_\_add\_\_ , 94
- add , 61
- add\_constraint , 389
- add\_edge , 361
- add\_edges , 361, 384
- add\_vertex , 361
- adjacency matrix , 155, 362
- adjacency table , 362
- algebraic geometry , 199
- algebraic number , 38, 106, 109, 130, 135, 138, 142, 183
- algebraic structure , 97–99
- algebraic variety , 185
- AlgebraicField , 101
- AlgebraicRealField , 101
- algorithm
  - Dijkstra’s , 372
  - Edmonds’ , 373
  - fast multiplication , 151
  - Ford-Fulkerson , 373
  - QR , 291
- aliasing , 67
- aliquot sequence , 122
- all , 61, 343, 444
- AlternatingSignMatrices , 341
- and , 103, 104
- animate , 74
- animation , 74
- antiderivative , 30
- any , 61, 343
- append , 64, 65, 272
- Arb , 247
- arithmetic
  - basic , 7
  - elementary , 101–103
  - interval , *see* interval arithmetic
  - modular , 113–115
  - of polynomials , 132, 181
- arithmetic operations , 7, 17, 95
  - finite fields , 115
  - matrices , 158
  - modulo  $n$  , 114
  - polynomials , 128, 180
- arithmetic-harmonic mean , 47, 51
- Arrangements , 328
- assert , 40, 262
- assignment , 41, 47, 67
- assume , 21, 223

- attrcall, 345
- augment, 154
- automatic completion, 11, 96
- automatic\_names, 14
- automorphism\_group, 375
- Axiom, 97, 126
  
- backslash, 40
- bar chart, 77, 89
- bar graph, 77, 89
- bar\_chart, 77, 89
- base\_extend, 154, 158
- base\_ring, 114, 126, 154, 273
- basic type, 101
- basis, 154
- basis (vector space), 36, 154
- basis\_is\_groebner, 205
- berlekamp\_massey, 144, 424
- Bézout relation, 133
- BinaryTree, 347
- binomial, 9, 334
- binomial coefficient, 9
- bisection, 264
- BLAS, 296
- block matrix, 156
- block\_diagonal\_matrix, 156
- block\_matrix, 154, 156
- bool, 17, 101
- boolean, 11, 103
- breadth\_first\_search, 372
- break, 45
- bug, iii
  
- C++, 5
- canonicalize\_radical, 20, 21
- cardinality, 341, 442
- cartesian product, 62, 98
- cartesian\_product, 257, 348
- Cassini surface, 91
- catalan, 11
- Catalan constant, 11
- catastrophic cancellation, 238
- categories, 131
- category, 99, 131
- category, 99
- Cauchy interpolation, 145
- CBF, 251
- CC, 101, 256, 273
- CDF, 243, 253, 256, 273
- center, 372
- change of variables, 219
- change\_ring, 129, 154, 158, 206
- character string, 56
- characteristic, 114
- characteristic polynomial, 37, 160, 168, 171
- characteristic value, 168
- characteristic\_polynomial, 37, 160
- charpoly, 135, 160, 170
  
- Chinese remainder theorem, *see* theorem
- chromatic number, 364, 365
- chromatic\_number, 364, 374
- CIF, 138, 251, 256, 273
- circle, 87, 89
- class, 93, 97
- class, 40
- clique, 374
- clique\_maximum, 374
- Cliquer (program), 374
- closed-form expression, 184
- CoCalc, 4, 5
- CoCoA, 199
- coefficient
  - matrix, 156
  - polynomial, 129, 179
- coefficients, 129, 179
- coeffs, 129
- coercion, 95
- collect, 19, 20, 128
- collections, 272
- coloring, 368, 374, 379
- colour, 73, 368
- column\_space, 37, 410
- combine, 19
- comstruct, 332
- command history, 12
- command line, 5
- command prompt, 7
- comment, 39
- companion matrix, 174
- comparison, 42
  - of two expressions, 17
- complement, 370
- CompleteBipartiteGraph, 364
- CompleteGraph, 364
- complex floating-point number, 103
- complex\_plot, 77, 89
- ComplexBallField, 251
- ComplexDoubleField, 256
- ComplexField, 101, 243, 253, 256
- ComplexIntervalField, 251, 256
- comprehension, 60, 341
- computation of  $\pi$ , 31, 32, 34
- computational domain, 99–110
- computer algebra, 3
  - and numerical computation, 10, 261
  - system, 108
- concatenation, 66
- conchoid, 76
- condition number, 277–280, 285, 286, 299
- conditional, 49
- conditional instruction, 49
- conjugate, 130, 158
- conjugate gradient, 299
- connected component, 373
- connected\_components, 373
- connectivity, 373, 374, 376, 379

- constants, 244
- constants (predefined), 11
- content, 132
- continue, 45
- contrib\_ode, 214
- conventions, 7
- convergence, 32, 48, 240, 241, 263, 274
  - acceleration of, 274
- conversion, 95, 98, 101, 130, 236
- copy, 67, 158, 291, 371
- cos, 21
- count, 64
- cover\_ring, 135
- Cox, David A., 177
- Cramer's formula, 281
- cross product, 35
- cross\_product, 35, 408
- crt, 118, 132
- cryptology, 115, 189
- CSV (*comma-separated values*), 78
- cut (graph), 375, 379
- Cyclic, 188
- cyclic vector, 169
  
- data sharing, 67
- decimal number, 102
- decimal point, 8
- decomposableObjects, 332
- decomposition
  - partial fraction, 141
  - square-free, 136
- decomposition, 172
- decorator, 53
- def, 40, 51
- degree, 129, 179
- del, 41, 65, 70
- delayed reduction, 115
- delete\_edge, 362
- delete\_vertex, 362
- denominator, 141, 333
- depth\_first\_search, 372
- deque, 272
- derivative
  - of a polynomial, 129, 179
  - of an expression, 30, 33, 63
  - partial, 33, 179, 214
- derivative, 33, 129, 179, 261
- Descartes' rule, 262
- desolve, 24, 214, 227
- desolve\_laplace, 224, 227
- desolve\_rk4, 82, 89
- desolve\_system, 225
- det, 165
- determinant, 160, 165, 168
- diagonalisation, 37, 160
- diameter, 372
- diameter of a graph, 372
- Dickson lemma, 205
- dict, 70, 129
- dictionary, 179
- diff, 30, 33, 129, 227, 405
- differential equation, 82, 147, 213–226, 303, 316
  - Bernoulli, 215
  - Clairaut, 216
  - constant coefficient, 221
  - exact, 216
  - homogeneous, 215, 219, 220
  - Lagrange, 216
  - linear first-order, 215, 216
  - parametric, 221
  - plot, 218
  - Riccati, 216
  - separable, 215, 217, 219
  - systems, 224
- diffusion list, 4
- DiGraph, 370
- dimension
  - of a variety, 208
  - of an ideal, 182, 190, 196, 208
- dimension, 183, 190, 191
- discrete logarithm, 121–122
- discriminant, 137
- discriminant of a polynomial, 25, 139
- disjoint\_union, 366, 367
- display
  - graphs, 367
- distance (in a graph), 372
- divides, 132, 182
- division, 8
  - by increasing powers, 133
  - integers, 9
  - of polynomials, 132, 134, 181, 202, 207
- documentation, 4
- domain
  - computation domain, 22
- dominating set, 374, 393
- dominating\_set, 374
- Dormand-Prince method, 317
- dot\_product, 35
- double exponential method, 307
- double-precision, 235, 243, 276
- drawing, 79
  
- e, 11
- eccentricity, 372
- eccentricity, 372
- echelon form, 37, 161
- echelon\_form, 37, 160, 163, 164, 410
- echelonize, 160, 163
- edge (graph), 361
- edge\_coloring, 374
- edge\_connectivity, 373
- edge\_cut, 373
- edge\_disjoint\_paths, 373

- Edmonds, Jack, 392
- `eigenmatrix_left`, 160, 174
- `eigenmatrix_right`, 160, 174
- eigenspace, 160, 168
- `eigenspaces_left`, 160, 173
- `eigenspaces_right`, 160, 173
- eigenvalue, 37, 160, 168, 172, 225
- eigenvalues, 37, 173
- eigenvector, 37, 160, 172
- `eigenvectors_left`, 160
- `eigenvectors_right`, 37, 160
- elementary function, 21
- `elementary_divisors`, 160, 165
- `elementwise_product`, 158
- `elif`, 50
- elimination
  - algebraic, 182, 190, 194, 209
- `elimination_ideal`, 191
- `else`, 49
- endomorphism reduction, 37
- envelope of a family of curves, 87, 193
- equality
  - left/right-hand side, 24
- equation, 10, 23–26
  - differential, *see* differential equation
  - linear, 23, 24
  - numerical solution, 25, 255–276
  - of a curve, 76, 77, 193
  - of a surface, 91
  - partial differential, *see* partial differential equation
  - polynomial, 137
  - solving, 24
  - system of equations, 24
- Euler's method, 316
- `euler_gamma`, 11
- `exec`, 40
- `exists`, 344
- `exp`, 21
- `expand`, 18, 20
- `expand_sum`, 21
- `expand_trig`, 21
- exponent of a float, 233–235
- exponentiation
  - binary, 134
  - modular, 115, 120
- exporting a figure, 369
- Expression, 258
- expression tree, 17
- `extend`, 64
- `extension`, 38
  
- `factor`, 9, 20, 94, 95, 101, 136, 137, 182
- `factor_list`, 20
- factorial, 9
  - programming, 52
- `factorial`, 9, 21, 102
- factorisation
  - integer, 94, 121, 135
  - polynomial, 108, 118, 130, 135
- `False`, 11, 103
- fast multiplication, 151
- Fermat test, 118
- Fermat, Pierre de, 9
- Fibonacci sequence, 52–56
- `FieldIdeal`, 188
- `Fields`, 99
- figure export, 74
- `filter`, 60, 65, 67, 69
- `finance`, 78
- `find_root`, 24, 25, 275
- finite field, 101, 104, 113–116, 119
  - non-prime, 115
- `FiniteEnumeratedSet`, 440
- `FiniteField`, 101, 115
- fixed point, 148
- `flatten`, 62, 67
- `float`, 101
- floating-point number, 25, 102
- `floor`, 9
- flow, 373–375, 393
- `flow`, 373
- `for`, 40, 42, 60, 62, 338, 342
- `forget`, 22
- formal power series, 106, 141, 143, 145, 423
- formula
  - Bailey-Borwein-Plouffe, 34
  - Sherman-Morrison, 438
- Fourier series, 75
- `fourier_series_partial_sum`, 75
- `Frac`, 141
- Frobenius normal form, 168, 171
- `frozenset`, 397
- `function`, 19, 214, 227
- function graph, 89
- `function_factory`, 422
- functional equation, 147
  
- Galois group, 140
- `galois_group`, 137, 140
- GAP, 5, 6, 358
- Gauss-Jordan elimination, 162
- Gauss-Kronrod method, 304, 306
- Gauss-Legendre method, 306
- Gaussian elimination, 159–161
- `gcd`
  - integers, 114, 116, 117
  - polynomials, 132, 261
- `gcd`, 132, 182
- Gear's method, 317
- `gen`, 127, 190
- generator, 115, 127, 269, 270
  - of a polynomial ring, 177
  - programming, 265
  - vector space, 154
- genericity, 95

- gens, 154, 177
- genus, 191, 375
- genus, 191, 375
- geometry, 193, 195
- get\_values, 389
- GF, 101, 115, 119
- gfun, 332
- Gibbs phenomenon, 75
- girth (graph), 364
- GL, 155
- global, 51
- GMP, 256
- GMRES, 299, 302
- GNU MPFR, 235, 296
- GNU/Linux, 4
- golden\_ratio, 11
- Graph, 361, 362, 370, 374
- graph, 89
  - adjoint, *see* line graph
  - bipartite, 365, 376
  - chordal, 372, 376
  - circulant, 363, 365
  - complete, 365
  - Eulerian, 376
  - families of graphs, 364
  - interval, 376
  - graph
    - $k$ -connected, 373
    - Kneser, 364
    - perfect, 376
    - Petersen, 363, 364
    - planar, 364
    - random, 365, 373, 379, 381
    - small graphs, 363
    - vertex-transitive, 364, 376
  - graph colouring, 374, 377, 385
  - graph isomorphism, 375
  - graph minor, 375
    - forbidden, 364
  - graph of a function, 73
    - differential equation solution, 82, 318
  - graph paths
    - edge-disjoint, 373
    - vertex-disjoint, 373
  - graph traversal, 371, 373
- Graphics, 82, 89
- graphics, 15, 73–92
- Gröbner basis, 187, 190, 200, 203–211
  - computation cost, 209
  - definition, 205
  - reduced, 208
- group, 99
  - linear  $GL_n$ , 154
- GSL, 82, 310, 311, 318, 319, 439
- guessing, 145
- Hamiltonian cycle, 374, 395
- hamiltonian\_cycle, 374, 375
- harmonic function, 33
- harmonic number, 117, 241
- hash table, 69
- help, 4, 11, 96
- Hermite normal form, 163, 410
- hermite\_form, 164
- Hilbert matrix, 279, 293, 294
- histogram, 77, 89
- homogenize, 179, 188
- $i$  (imaginary unit), 11, 103
- ideal
  - polynomials, 181, 182, 185
  - polynomials with an infinite number of variables, 180
- ideal, 134, 135, 182, 188
- identifier, 40
- identity\_matrix, 154, 155, 290
- IEEE-754 standard, 234
- if, 49, 60
- imag, 103
- image, *see* graphics
  - of a linear transformation, 166
  - of a function, 71
- image, 160, 166
- immutability, 158, 362, 389
- immutable, 68, 70
- implicit\_plot, 77, 89
- implicit\_plot3d, 91
- import, 13, 40
- in, 58, 69, 70
- indentation, 7, 43, 44
- independent set, 367, 374, 380, 384
- independent\_set, 367, 374, 384
- index, 65
- induced subgraph, 366, 381
- inequality, 387
- inequation, 25
  - polynomial system, 195
- inert function, 422
- infinite, 236
- InfinitePolynomialRing, 179, 180
- Infinity, 11, 28, 336
- initial conditions, 214
- inject\_variables, 428
- insert, 64
- instance, 93
- instruction block, 43
- int, 101, 336
- Integer, 101, 256
- integer
  - modulo  $n$ , 104
  - number, 101
  - part, 9, 21
  - ring, 113–115
- integer\_kernel, 160, 167
- IntegerListsLex, 350, 351
- IntegerModRing, 101, 104, 113, 119

- IntegerRing, 101
- Integers, 101, 113
- IntegerVectors, 341
- integral, 33
- integral curve, 82, 89
- integrate, 30, 33, 310
- integrate\_numerical, 34
- integration
  - numerical, 34, 303–314
  - symbolic, 30, 33
- interreduced\_basis, 208
- intersection, 188, 190
- interval arithmetic, 256
- introspection, 96
- invariant factor, 164, 172
- invariant subspace, 168
- inverse
  - compositional (of a series), 141
  - modular, 114
  - power, 290
- inverse\_laplace, 224, 227
- IPython, 5
- irrelevant\_ideal, 188
- is\_bipartite, 376
- is\_cartesian\_transitive, 376
- is\_chordal, 372, 376
- is\_connected, 373
- is\_constant, 129
- is\_eulerian, 376
- is\_exact, 273
- is\_hamiltonian, 375
- is\_integral\_domain, 126
- is\_interval, 376
- is\_irreducible, 135, 137
- is\_isomorphic, 366, 375
- is\_monic, 129
- is\_noetherian, 131
- is\_perfect, 376
- is\_prime, 119
- is\_pseudoprime, 119
- is\_regular, 364
- is\_ring, 131
- is\_squarefree, 182
- is\_tree, 376
- is\_vertex\_transitive, 364, 376
- is\_zero, 23, 261
- iter, 342
- iterable, 338, 342
- iterator, 43, 44, 265, 345, 372
- itertools, 345
  
- jacobi, 121
- Jacobi symbol, 121
- jacobian\_ideal, 188
- Jordan
  - block, 174
  - form, 37, 167, 174
  - matrix, 174
- jordan\_block, 154, 155, 160, 175
- jordan\_form, 37, 38, 175
- Jupyter, 4, 5
  
- Kash, 96
- kernel, 36, 37, 160, 166
- kernel, 160, 167
- keyboard shortcut, 7
- keys, 71, 348
- knapsack (problem), 391
- knot, 91
- Krylov sequence, 168
  
- label (graph), 362, 367
- lagrange\_polynomial, 132, 272, 305
- lambda, 40, 59, 65
- Lapack, 292, 296
- laplace, 227
- Laplace transform, 223
- L<sup>A</sup>T<sub>E</sub>X, 74
- LattE, 351
- LaurentSeriesRing, 141
- lazy computation, 148
- LazyPowerSeriesRing, 148, 330
- lc, 179
- lcm, 117, 132, 182
- leading coefficient, 179, 180, 201
- leading monomial, 179, 180, 201
- leading term, 179, 180, 201
- leading\_coefficient, 129
- left\_kernel, 36, 37, 160, 167
- left\_solve, 24
- Legendre polynomial, 35, 306
- Leibniz formula, 63
- len, 57, 66, 69, 336
- lex\_BFS, 372, 376
- lexicographic order, 63, 201
- lhs, 24, 221, 227
- lift, 114, 134, 135, 187, 188
- lim, 28
- limit, 30
  - numerical approximation, 47
- limit, 28, 30, 405
- limit point, 227
- line, 79, 82, 89
- line graph, 371
- line3d, 91
- linear algebra, 35–38, 153–176
  - numerical, 277–302
- linear equation, 166
- linear programming, 373, 374, 387–399
  - over the integers, 388
- linear system, 166
  - solving, 160, 166
- linearisation (trigonometrics), 21
- Linux, 4
- list, 57
- Little, John B., 177

- lm, 179
- log, 21, 122, 244
- logic, 103
- logistic map, 226
- loop
  - while, 43
  - early abort, 45
  - for (enumeration), 42
  - infinite, 63
- lt, 179
  
- Macaulay2, 199
- Machin's formula, 31
- Machin, John, 31
- MacOS, 4
- Magma, 96, 97, 126
- Magnus effect, 86
- manual, 4
- map, 59, 62, 67, 69
- map\_coefficients, 179
- Maple, 13, 14, 126, 332
- Masser-Gramain constant, 122
- matching, 373, 374, 392
- matching, 384
- matrix, 36, 37, 105, 153, 176, 277–302, 387
  - column, 156
  - companion, 169
  - decomposition, *see* matrix factorisation
  - equivalence, 159, 162, 167
  - factorisation
    - Cholesky, 283, 284, 288
    - LU, 163, 281, 283, 284, 291
    - QR, 284–286, 291, 292
  - inverse, 158
  - norm, 278, 285–287
  - normal form, 159, 162–164, 171
  - rank, 284–286
  - row, 156
  - similarity, *see* similarity (matrix)
  - transpose, 158
  - unimodular, 163
- matrix, 36, 37, 105, 135, 155
- matrix\_block, 37
- MatrixGroup, 154, 155
- MatrixSpace, 101, 105, 153, 154
- max\_cut, 375
- max\_symbolic, 313
- Maxima, 6, 13, 14, 126, 219, 260, 311, 319
- maxspin, 160, 170
- Mendès France, Michel, 80
- method
  - bisection, 264
  - Brent's, 275
  - false position, 267
  - Newton's, 268
  - Newton-Cotes, 305
  - programming, 94
  - secant, 270
  - separation of variables, 222
  - Steffensen's, 274
- Microsoft Windows, 4
- minimal polynomial, 37
  - algebraic number, 184
  - linear recurrence, 134
  - matrix, 37, 160, 169
  - vector, 169
- minimal\_polynomial, 37, 160
- minor, 160
- minor, 375
- minpoly, 135, 160
- MixedIntegerLinearProgram, 388, 389
- mod, 114, 135, 181, 188
- modulus (complex number), 9, 103
- monomial order, 178, 180, 181, 201
  - change of order, 210
- MPFI, 247
- MPFR, *see* GNU MPFR
- MPolynomial, 179
- mq, 189
  - \_\_mul\_\_, 94
- Muller, David E., 271
- Muller, Jean-Michel, 240
- multicommodity\_flow, 375
- multiplicity, 186, 255, 260
- MuPAD, 97, 126
- MuPAD-Combinat, 332
- mutability, *see* immutability
  
- n, *see* numerical\_approx
- n-tuple, *see* tuple
- NaN (Not a Number), 236
- new\_variable, 390, 393
- next, 342
- next\_prime, 118
- None, 40, 51
- norm
  - of a matrix, *see* matrix norm
  - of a vector, 35
- norm, 35
- normal equations, 285, 286
- normal form
  - expression, 20, 22, 99, 110, 126
  - modulo an ideal, 187
- normal\_basis, 191, 200
- not, 104
- notebook, 7
- NotImplementedError, 130
- nth\_root, 21
- Nullstellensatz, 188
- number
  - Carmichael, 120
  - floating-point, 233
  - integer modular, 113–115
  - prime, 118–119
- number field, 38, 109, 135

- number\_field, 135
- NumberField, 38, 106, 135
- number, 94
- numerator, 141
- numerical approximation, 8, 45, 123, 138, 244, 277
  - differential equation, 316–321
  - equation solving, 255
  - integral, 303–314
  - limits, 32
  - solutions of equations, 25–26, 138, 198, 239, 276
- numerical sequence, 47
  - uniformly distributed, 79
- numerical\_approx, 8, 11, 22, 102
- NumPy, 84, 273, 296
  
- object, 93
- object-oriented programming, 93–96
- objective function, 389
- ode\_contrib, 216
- ode\_solver, 82, 317
- odeint, 82, 89, 414
- one, 154
- oo, 11
- optimisation, 387–399
- or, 103, 104
- order
  - additive, 114
  - multiplicative, 114
- order, 361
- order of variables, 178
- OrderedSetPartitions, 341
- osculating circle, 88
- O’Shea, Donal, 177
  
- p*-adic number, 137
- Padé approximant, 143
- pairing, 384
- PALP, 351
- parametric curve, 76, 86, 89, 193
  - in 3D, 91
- parametric surface, 89
- parametric\_plot, 76, 89
- parametrisation, 86, 193
- parent, 97, 99, 127, 131
- parent, 114
- PARI/GP, 5, 6, 96, 273, 309, 312, 313
- partial differential equation, 214
- partial fraction decomposition, 19, 224
- partial\_fraction, 19, 20, 224
- partial\_fraction\_decomposition, 141
- pass, 40
- periphery, 372
- Permutations, 378
- $\pi$  (Archimedes’ constant), 11
  - computation, *see* computation of  $\pi$
- piecewise, 75
  
- pivot\_rows, 160, 165
- pivots, 160, 165
- plot, 15, 30, 73, 89, 218, 257, 304, 370
- plot (differential equation), 218
- plot3d, 15, 89
- plot\_histogram, 77, 89
- plot\_points, 73
- plot\_vector\_field, 84
- point, 79
- point cloud, 79
- points, 79, 89
- polar coordinates, 36, 76
- polar\_plot, 76, 89
- polygen, 126
- polygon, 89
- polymorphism, 95
- polynomial, 125–151, 177–211
  - Chebyshev, 133
- polynomial, 179, 180
- polynomial representation
  - dense, 150
  - recursive, 128, 179
  - sparse, 150
- polynomial ring, 126, 177, 273
  - with infinite number of variables, 180
- polynomial root, 255
- polynomial\_sequence, 189
- PolynomialRing, 101, 126, 177, 179
- pop, 64, 70
- power, 8
- power method, 289–291, 300–302
- power series, 27, 30, 106
  - expansion, 30
- PowerSeriesRing, 106, 141
- prec, 146
- precision
  - arbitrary vs fixed, 235, 253
  - floating-point number, 233–236, 238, 239, 241
  - loss of, 238
  - numerical computation, 198
  - series, 146
- predator-prey model, 84
- primality, *see* number, prime
- primary normal form, 175
- prime\_range, 120
- print, 40, 52, 56
- probability, 366
- procedure, 41, 50
- prod, 61
- product, 61
  - of graphs, 371, 376
- programming, 39–71, 341–347
  - method, 41
- projection, 192
- pseudo-division, 132
- pseudo-primality, 118
- pseudo\_divrem, 132



- public server, 4–6
- Python
  - function, 41, 50
  - anonymous, 59
  - variable, 12–13
  - version 3, 39
- $q$ -factorial, 444
- QQ, 101, 256, 273
- QQbar, 101, 138, 183, 273
- QUADPACK, 311
- quadratic residue, 121
- quadrature rule, 305
- quit, 40
- quo, 134, 135, 188
- quo\_rem, 132, 181
- quotient
  - numerical, *see* arithmetic operations
  - polynomial ring, 186, 200
  - $\mathbb{Z}/n\mathbb{Z}$ , 113
- quotient, 188, 190
- radical, 137, 188
- radical of an ideal, 188
- radius, 372
- radius of a graph, 372
- Ramanujan, Srinivasa, 32
- random, 79
- random walk, 79
- random\_element, 129, 378
- random\_matrix, 154, 155
- randrange, 77
- range, 44
- range, 44, 343
- rank, 160
  - matrix, 165, 168
  - profile, 160, 165
- rank, 165
- Rational, 93, 94
- rational
  - number, 102
- rational fraction, 19, 132, 140–141
- rational reconstruction, 116, 123, 141, 142
- rational\_argument, 184
- rational\_reconstruct, 141, 143
- rational\_reconstruction, 116
- RationalField, 101
- raw\_input, 57
- RBF, 246
- RDF, 130, 235, 253, 256, 273
- real, 103
- real\_root\_intervals, 137
- real\_roots, 137, 273, 275
- RealBallField, 246
- RealField, 101, 235, 253, 256
- RealIntervalField, 245, 256
- rectangle rule, 305
- recurrence, 43
- recurrence relation, 226–230
- recurrent sequence, 45–53, 134
  - drawing, 82
  - numerical stability, 239
- recurrent series, 145
- recursivity, 52
- reduce
  - list, 61
  - modulo, 134, 141, 187, 188
- reduce\_trig, 21
- reduced echelon form, 162
  - transformation to, 162
- reduction of endomorphism, 160
- regular expression, 67
- remove, 65
- representation of polynomials
  - factored, 108
  - sparse, 179
- reset, 13, 41
- resolution
  - polynomial systems, 182
- resources, 4
- restore, 13
- resultant, 138, 194
- resultant, 137, 182, 191
- return, 40, 45, 51, 265, 345
- reverse, 63, 128, 129, 141
- rewriting, 203
- rhs, 24, 227
- RIF, 138, 245, 256, 273
- right\_kernel, 36, 37, 160, 166, 409
- right\_solve, 24
- root
  - $n$ -th root, 9, 21
  - of a polynomial, 137, 238, 263
  - isolation, 262
- root\_field, 257
- roots, 24, 25, 137, 196, 255, 260, 261, 275
- rounding, 234, 238, 243
- row\_space, 37
- RR, 101, 256, 273
- RSA (crypto-system), 115
- rsolve, 229
- Runge’s phenomenon, 305
- Runge-Kutta
  - method, 317
- Sage developers, 6
- Sage history, 6
- sage-support, iii
- sage:, 7
- sagemath.org, 4
- SageMathCloud, *see* CoCalc, 4
- SageMathInc, 4
- save, 74
- scalar product, 35
- SciPy, 82, 83, 275, 276, 296, 298, 301, 302, 414

- sequence, *see* tuple
  - numerical, 28
  - Syracuse, 49
- series, 31, 241
  - alternating, 47
  - expansion, 148
- series**, 30, 106
- Set**, 69, 440
- set, 69
- set\_binary**, 390
- set\_immutable**, 158
- set\_integer**, 390
- set\_max**, 390
- set\_min**, 390
- set\_objective**, 389
- set\_real**, 390
- shortest path (graph), 372
- shortest\_path**, 372
- show**, 74, 89, 367, 370
- significand, 233–242
- similarity (matrix), 167, 171, 176
- similarity invariant, 168, 170, 172
- simplification, 11, 21, 22, 108
- simplify, 11, 20, 107
- simplify\_factorial**, 21
- simplify\_full**, 21
- simplify\_rational**, 20, 21, 333
- simplify\_rectform**, 21
- simplify\_trig**, 20, 21, 23
- sin**, 21, 244
- Singular, 5, 6, 179, 199
- singular value decomposition, 284, 286, 287
- size**, 361
- SL**, 155
- small\_roots**, 130
- Smith normal form, 164
- smith\_form**, 160
- solve**, 23, 24, 86, 182, 220, 389, 390
- solve\_left**, 36, 37, 160, 166
- solve\_right**, 36, 37, 160, 166
- solving
  - linear programming, 389
  - linear systems, 35
  - numerical equations, 23–26, 255–276
- sort**, 63
- sorted**, 64
- sorting, 63
- split**, 66
- spreadsheet, 78
- sqrt**, 21, 22, 38
- squarefree\_decomposition**, 137
- SR**, 101, 150, 258
- SR.var**, *see* **var**
- srange**, 44
- SSP (subset sum problem), 392
- stable (graph), *see* independent set
- stack**, 154
- staircase, 203, 204
- StandardTableaux**, 341
- Stein, William, 6
- steiner\_tree**, 375
- str**, 66, 101
- study of a function, 21
- Sturm sequence, 262
- subgraph**, 371
- subgraph\_search**, 366, 375, 377, 383
- submatrix, 157
- submatrix**, 154
- SubMultiset**, 427
- subs**, 18, 129, 179, 181
- subset sum, 392
- Subsets**, 427, 446
- substitute**, 18
- substitute\_function**, 422
- sum**, 27, 30, 61, 343
- summation
  - compensated, 242
  - programming, 46
  - symbolic, 27, 30
- SVD, *see* singular value decomposition
- swap\_columns**, 160
- swap\_rows**, 160
- sxrange**, 44
- symbolic expression, 10–14, 17, 103, 105–107, 110, 126, 150
  - function, 19
  - test of zero, 22
- symbolic function, 19, 227, 403
- symbolic variable, 13–14
- SymPy, 229
- system of equations, 35, 177, 387
  - differential, 224
- tabulation, 11
- tangent (to a curve), 268
- taylor**, 30, 143, 403
- Taylor expansion, 30, 106
- Tenenbaum, Gérard, 80
- test of zero, 22
- test\_poly**, 178
- text**, 89
- theorem
  - Borsuk-Ulam, 365
  - Cayley-Hamilton, 171
  - Chinese remainder, 117
  - theorem
    - fundamental (of algebra), 257
  - Kuratowski's, 364
  - Menger's, 373
  - Pocklington's, 119
  - Schwarz', 33
- timeit**, 115
- TimeSeries**, 78
- trac.sagemath.org, iii
- trace, 278, 287
- trace**, 135

- transformation matrix, 164
- transformed\_basis**, 185, 210
- transpose**, 158, 283, 285, 288
- transposition matrix, 159
- transvection, 159, 160
- trapezoidal rule, 307
- traveling salesman problem, 374, 395
- traveling\_salesman\_problem**, 375
- tree, 365, 376
  - Steiner, 375
- tree**, 365
- triangular decomposition
  - of an ideal, 197
- triangular form, 37, 161
- triangular\_decomposition**, 185, 191, 197
- trig\_expand**, 404
- trig\_simplify**, 404
- trigonometric function, 9, 21, 244
- trigonometry, 209
- True**, 11, 103
- truncate**, 30
- truncation of a series, 141
- try**, 40, 78
- tuple, 68
  
- ulp**, 237
- ulp** (*unit in the last place*), 237
- uniform distribution, 79
- union (of graphs), 366
  
- valuation**, 132
- values**, 71
- Vandermonde determinant, 107
- var**, 13, 227
- variable
  - dependent, 214
  - independent, 214
  - Python, 41, 51
    - symbolic, 21
- variable\_name**, 129
- variable\_names\_recursive**, 179
- variables**, 129, 227
- variation of a function, 21
- variety**, 183, 191, 196
- vector, 35
  - construction, 155
- vector**, 35, 155
- vector space, 37
- vector\_space\_dimension**, 191
- VectorSpace**, 153
- Verhulst equation, 221
- vertex (graph), 361
- vertex\_connectivity**, 373
- vertex\_cut**, 373
- vertex\_disjoint\_paths**, 373
- visualisation, 74, 367
  
- WeightedIntegerVectors**, 337
- while**, 40
- Windows, 4
- with**, 40
  
- x** (symbolic variable), 13
- xgcd**, 132
- xrange**, 44, 343
  
- yield**, 40, 265, 345
  
- Zariski closure, 190, 192
- zero**, 154
- $\zeta$  (Riemann zeta function), 49
- $\zeta$  (Riemann zeta function), 31, 49
- zip**, 69
- ZZ**, 101, 114, 256, 273